



CLARK COUNTY YOUTH RISK BEHAVIOR SURVEY

2021 County-Wide Middle School Results



JANUARY 21, 2022

CLARK COUNTY COMBINED HEALTH DISTRICT
529 East Home Road, Springfield, Ohio 45503

Clark County Youth Risk Behavior Survey (YRBS) 2021

County-Wide Middle School Results

Version 1.2

Introduction

The Youth Risk Behavior Survey (YRBS) is a survey that monitors health risk behaviors that contribute to the leading causes of death and disability among 7th-8th grade students. Topics include behaviors that contribute to unintentional injuries and violence, sexual behaviors, alcohol and drug use, tobacco use, dietary behaviors, physical activity, and the prevalence of obesity and asthma.

This report describes county-wide results of the High School YRBS that was administered in October 2021 by the Clark County Combined Health District in collaboration with each individual school district and school.

Methods

A census was conducted on youth risk behavior with 2,419 students across 14 middle schools in Clark County:

Participating Schools	
Catholic Central Jr. High School	Northwestern Jr. High School
Global Impact Stem Academy (7-8)	Roosevelt Middle School
Greenon Jr. High School	Schaefer Middle School
Hayward Middle School	Shawnee Middle School
Nightingale Montessori (7-8)	Springfield City Online (7-8)
Northeastern Middle School	Southeastern Jr. High School
Northridge Middle School	Tecumseh Middle School

The survey was split into categories, including driving habits, violence and weapon carrying, sexual violence, bullying, depression and suicide, tobacco, alcohol, marijuana, drugs, sexual behavior, body weight, dietary behavior, physical activity, and miscellaneous topics.

The data collection method in this census was congruent with the CDC criteria for the YRBS, which suggests a two-stage, cluster sample design. The two-stage cluster sample design was achieved by first conducting a census of every school in the county, then randomly selecting classrooms from each school to analyze. **The middle school surveys were first administered in 2015; the surveys in 2015 and 2017 were not completed using the two-stage cluster sample design and 95% confidence interval, the data collected in this YRBS CANNOT be compared with results from the Clark County YRBS surveys administered in 2015 and 2017.**

All incomplete or invalid responses were removed. Survey answers that were logically inconsistent with one another were also removed. A weight based on student sex, race, ethnicity and grade was applied to each record to adjust for school and student nonresponse.

Demographic variables, including age, sex, race, ethnicity, grade, sexual orientation and gender identity, were reported. The percent (%) and 95% confidence interval were also reported for each question. Additionally, each response was analyzed by sex and race.

The overall response rate for the county-wide middle schools was 73.89%. The cutoff for a representative response rate was 60%, therefore this is considered a representative portion of the population.

Key Findings: Demographics and Statistically Significant Questions (p<0.05)

These key findings are labeled with Endnotes in the following pages.

The Endnotes are summarized as follows:

1. Indicates a significant difference (p<0.05) between races (Multi-race, American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Pacific Islander, and White)
2. Indicates a significant difference (p<0.05) between ages (≤12 years, 13 years, 14 years, 15 years, 16 years, 17 years, and ≥18 years old)
3. Indicates a significant difference (p<0.05) between sexes (female and male)
4. Indicates a significant difference (p<0.05) between Ethnicity (Hispanic and Non-Hispanic)

Results

Population Demographics

Categories	Overall %	% of Overall Who Are: Sex (Overall %)	
		Female (48.4%)	Male (50.2%)
Age of Students			
10 years or younger	0.0%	0.0%	0.0%
11 years	0.3%	16.7%	83.3%
12 years	31.1%	51.2%	48.8%
13 years	50.8%	49.9%	50.1%
14 years	16.8%	44.3%	55.7%
15 years	0.9%	35.0%	65.0%
16 years or older	0.1%	0.0%	100.0%
NA or did not answer	0.0%	0.0%	0.0%
Grade			
6th grade ²	0.0%	0.0%	0.0%
7th grade ²	49.9%	48.3%	51.7%
8th grade ²	50.0%	50.0%	50.0%
Ungraded or other ²	0.1%	0.0%	100.0%
NA or did not answer ²	0.0%	0.0%	0.0%
Hispanic or Latino			
Yes ^{1,2}	8.8%	47.6%	52.4%
No ^{1,2}	88.3%	49.6%	50.4%
NA or did not answer ^{1,2}	2.8%	38.3%	61.7%
Race			
Multi-race ⁴	11.3%	54.8%	45.2%
American Indian or Alaska Native ⁴	0.9%	40.0%	60.0%
Asian ⁴	0.5%	30.0%	70.0%
Black or African American ⁴	12.0%	47.0%	53.0%
Native Hawaiian or Other Pacific Islander ⁴	0.5%	44.4%	55.6%
White ⁴	71.3%	48.9%	51.1%
NA or did not answer ⁴	3.6%	47.4%	52.6%

Categories	Overall %	% of Overall Who Are: Sex (Overall %)	
		Female (48.4%)	Male (50.2%)
Sex			
Female	48.4%	-	-
Male	50.2%	-	-
NA or did not answer	1.4%	-	-
Gender Identity			
Transgender ³	3.3%	49.2%	50.8%
Not Transgender ³	89.4%	48.0%	52.0%
Unsure if Transgender ³	4.5%	67.8%	32.2%
Do not know what the question is asking ³	2.3%	50.0%	50.0%
NA or did not answer ³	0.5%	77.8%	22.2%

¹Indicates a significant difference ($p < 0.05$) between races (Multi-race, American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Pacific Islander, and White) and the specified demographic/question.

²Indicates a significant difference ($p < 0.05$) between ages (≤ 12 years, 13 years, 14 years, 15 years, 16 years, 17 years, and ≥ 18 years old) and the specified demographic/question.

³Indicates a significant difference ($p < 0.05$) between sexes (female and male) and the specified demographic/question.

⁴Indicates a significant difference ($p < 0.05$) between ethnicity (Hispanic and Non-Hispanic) and the specified demographic/question.

Behavior Data

Questions	Overall % (95% Confidence Interval)	% of Overall Who Are: Sex (Overall %)	
		Female (48.4%)	Male (50.2%)
COVID-19 Pandemic			
Mental health was most of the time or always not good during the COVID-19 Pandemic ^{1,3}	26.4% (24.6-28.2%)	69.7%	30.3%
Parent or other adult in their home lost their job, even for a short amount of time, during the COVID-19 Pandemic ³	18.3% (16.7-19.9%)	54.5%	45.5%
Safety			
Rarely or never wore a helmet when riding a bicycle ²	71.0% (69.0-72.9%)	47.9%	52.1%
Rarely or never wore a helmet when rollerblading or riding a skateboard ³	43.3% (41.3-45.4%)	55.2%	44.8%
Rarely or never wore a seat belt when riding a car driven by someone else ^{1,2,3}	6.2% (5.2-7.2%)	38.2%	61.8%
Have rode in a car driven by someone who had been drinking alcohol ^{2,3}	18.7% (17.1-20.4%)	63.0%	37.0%
Violence			
Have been involved in a physical fight ^{1,2,3}	44.3% (42.1-46.3%)	36.4%	63.6%
Seen someone get physically attacked, beaten, stabbed, or shot in their neighborhood ^{1,2}	25.2% (23.2-27.0%)	49.4%	50.6%
Forced by anyone into doing sexual things at least once in the past 12 months ^{3,4}	18.1% (16.6-19.8%)	67.6%	32.4%
Have been physically hurt by a parent or other adult in their home at least sometimes in their life ³	7.9% (6.8-9.1%)	65.3%	34.7%
Bullying			
Bullied on school property ^{1,3}	43.1% (41.1-45.3%)	57.2%	42.8%
Electronically bullied (Facebook, Instagram, texting) ^{1,3}	33.8% (31.7-35.8%)	62.9%	37.1%
Victim of teasing or name calling because of race or ethnic background in the past 12 months ^{1,2,3,4}	17.3% (15.7-19.0%)	59.1%	40.9%
Suicide, Hurting Oneself			
Hurt themselves without wanting to kill themselves at least once in the past 12 months ^{1,3,4}	25.3% (23.5-27.2%)	68.7%	31.3%
Seriously thought about killing yourself (suicide) ^{1,3}	26.3% (24.5-28.3%)	66.6%	33.4%
Made a plan to attempt to kill yourself (suicide) ^{1,3}	18.8% (17.2-20.6%)	66.9%	33.1%
Attempted to kill yourself (suicide) ^{1,2,3,4}	11.0% (9.7-12.3%)	65.2%	34.8%
Tobacco			
Tried smoking a cigarette ^{2,4}	10.7% (9.3-12.1%)	51.8%	48.2%
Smoked a cigarette before age 10 years old	3.4% (2.7-4.2%)	58.3%	41.7%
Smoked cigarettes at least 1 day in the past 30 days ^{2,4}	3.0% (2.3-3.8%)	40.6%	59.4%

Questions	Overall % (95% Confidence Interval)	% of Overall Who Are: Sex (Overall %)	
		Female (48.4%)	Male (50.2%)
Smoked cigarettes at least 20 days in the past 30 days	0.4% (0.1-0.7%)	25.0%	75.0%
Smoked at least 1 cigarette per day in the past 30 days ^{1,2,4}	3.7% (2.9-4.5%)	35.9%	64.1%
Used an electronic vapor product ^{2,3,4}	16.8% (15.2-18.4%)	58.0%	42.0%
Smoked an electronic vapor product at least once in the past 30 days ^{2,3,4}	10.6% (9.2-11.8%)	57.1%	42.9%
Used chewing tobacco, snuff, snus, etc. 1 day or more in the past 30 days ^{3,4}	2.0% (1.4-2.6%)	33.3%	66.7%
Smoked cigars, cigarillos, or little cigars on 1 day or more in the past 30 days ^{2,4}	2.6% (2.0-3.3%)	36.4%	63.6%
Alcohol			
Had least one drink of alcohol ^{1,2,3,4}	20.7% (18.9-22.4%)	54.8%	45.2%
Had their first drink of alcohol before age 10 years old ²	4.9% (4.1-5.9%)	53.3%	46.7%
Marijuana			
Have used marijuana at least once in their life ^{2,3,4}	8.4% (7.1-9.5%)	56.4%	43.6%
Tried marijuana for the first time before age 10 years old ⁴	0.9% (0.6-1.4%)	50.0%	50.0%
Drugs			
Have taken non-prescribed pain medication or misused it at least once in their life ^{1,2,3,4}	10.0% (8.8-11.3%)	61.1%	38.9%
Have used any form of cocaine at least once in their life	0.6% (0.3-0.9%)	36.4%	63.6%
Have sniffed glue, aerosols, paints to get high at least once in their life ³	3.5% (2.8-4.4%)	62.2%	37.8%
Lived with someone who was having a problem with alcohol or drug use ^{1,2,3}	25.4% (23.6-27.3%)	59.4%	40.6%
Sexual Behavior			
Have had sexual intercourse ^{2,4}	5.7% (4.8-6.8%)	41.0%	59.0%
First had sexual intercourse before age 10 years old	1.1% (0.7-1.5%)	47.8%	52.2%
Had sex with 4 or more people in their life ²	0.5% (0.2-0.8%)	30.0%	70.0%
Used a condom when they last had sex ²	2.6% (2.0-3.4%)	39.3%	60.7%
Body Weight			
Self-describe as slightly or very overweight ³	34.4% (32.4-36.4%)	53.3%	46.7%
Not trying to do anything with their weight ^{1,4}	22.6% (20.8-24.3%)	51.7%	48.3%
Tried to lose or keep from gaining weight in the past 30 days by not eating, taking diet pills, vomiting, taking laxatives or skipping meals ^{1,2,3}	22.6% (20.9-24.5%)	73.8%	26.2%
Dietary Behavior			
Did not eat breakfast on at least 1 day in the past 7 days ³	72.1% (70.2-74.1%)	55.3%	44.7%

Questions	Overall % (95% Confidence Interval)	% of Overall Who Are: Sex (Overall %)	
		Female (48.4%)	Male (50.2%)
Physical Activity			
Were active for 60 minutes per day less than 5 days in the past 7 days ³	45.2% (43.0-47.3%)	54.3%	45.7%
Spent at least 3 hours a day in front of a TV, computer, other electronic device watching shows or videos playing games or on the internet on an average school day ^{1,3}	67.4% (65.5-69.4%)	51.4%	48.6%
Did not go to PE classes at school in an average week ^{1,4}	57.0% (54.9-59.1%)	50.7%	49.3%
Do not play on any sports teams in the past 12 months ^{1,4}	45.1% (42.9-47.1%)	49.2%	50.8%
Got a concussion from playing a sport or being active at least once in the past 12 months ^{1,2}	16.3% (14.7-17.9%)	44.9%	55.1%
Other Health Topics/Miscellaneous			
Mental health was often not good at least most of the time during the past 30 days ^{1,3}	21.4% (19.7-23.2%)	72.0%	28.0%
Often felt at least most of the time that they were able to talk to an adult about their feelings ^{2,3}	17.0% (15.4-18.6%)	42.7%	57.3%
Get 4 hours or less of sleep on a school night ^{2,3}	12.2% (10.8-13.6%)	60.2%	39.8%
Slept somewhere else besides their parent/guardians, family member or friends house in the past 30 days ^{1,2}	4.6% (3.7-5.5%)	54.6%	45.4%
Did not have a usual place to sleep during the past 30 days ³	0.7% (0.4-1.1%)	21.4%	78.6%
Have ever had sex education in school ^{2,3}	14.4% (12.9-15.9%)	43.6%	56.4%
At least sometimes went hungry because there wasn't enough food at home in the last 30 days ¹	8.3% (7.2-9.6%)	54.0%	46.0%
Rarely or never felt safe and secure in their neighborhood	7.3% (6.3-8.5%)	51.7%	48.3%

¹ Indicates a significant difference (p<0.05) between races (Multi-race, American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Pacific Islander, and White) and the specified demographic/question.

² Indicates a significant difference (p<0.05) between ages (≤12 years, 13 years, 14 years, 15 years, 16 years, 17 years, and ≥18 years old) and the specified demographic/question.

³ Indicates a significant difference (p<0.05) between sexes (female and male) and the specified demographic/question.

⁴ Indicates a significant difference (p<0.05) between ethnicity (Hispanic and Non-Hispanic) and the specified demographic/question.

Questions	Overall %	% of Overall Who Are: Race (Overall %)					
		American Indian or Alaskan Native (0.9%)	Asian (0.5%)	Black or African American (12.0%)	Native Hawaiian or Other Pacific Islander (0.5%)	White (71.3%)	Multi-Race (11.3%)
COVID-19 Pandemic							
Mental health was most of the time or always not good during the COVID-19 Pandemic ^{1,3}	26.4%	1.4%	0.2%	8.9%	0.0%	74.7%	14.8%
Parent or other adult in their home lost their job, even for a short amount of time, during the COVID-19 Pandemic ³	18.3%	0.8%	0.0%	11.7%	0.8%	71.1%	15.6%
Safety							
Rarely or never wore a helmet when riding a bicycle ²	71.0%	1.0%	0.5%	12.7%	0.3%	73.1%	12.4%
Rarely or never wore a helmet when rollerblading or riding a skateboard ³	43.3%	0.9%	0.3%	12.0%	0.2%	73.4%	13.1%
Rarely or never wore a seat belt when riding a car driven by someone else ^{1,2,3}	6.2%	2.3%	2.3%	24.2%	1.6%	57.0%	12.5%
Have rode in a car driven by someone who had been drinking alcohol ^{2,3}	18.7%	0.3%	0.8%	11.9%	0.0%	70.8%	16.3%
Violence							
Have been involved in a physical fight ^{1,2,3}	44.3%	1.5%	0.4%	19.3%	0.2%	64.3%	14.3%
Seen someone get physically attacked, beaten, stabbed, or shot in their neighborhood ^{1,2}	25.2%	1.1%	0.2%	20.0%	0.2%	61.3%	17.2%
Forced by anyone into doing sexual things at least once in the past 12 months ^{3,4}	18.1%	0.6%	0.8%	13.1%	0.3%	72.2%	13.1%
Have been physically hurt by a parent or other adult in their home at least sometimes in their life ³	7.9%	1.2%	0.6%	15.4%	0.0%	67.3%	15.4%
Bullying							
Bullied on school property ^{1,3}	43.1%	0.7%	0.4%	8.9%	0.3%	76.7%	13.0%
Electronically bullied (Facebook, Instagram, texting) ^{1,3}	33.8%	0.6%	0.6%	9.0%	0.3%	75.0%	14.5%
Victim of teasing or name calling because of race or ethnic background in the past 12 months ^{1,2,3,4}	17.3%	0.6%	1.4%	18.9%	0.6%	57.2%	21.4%

Questions	Overall %	% of Overall Who Are: Race (Overall %)					
		American Indian or Alaskan Native (0.9%)	Asian (0.5%)	Black or African American (12.0%)	Native Hawaiian or Other Pacific Islander (0.5%)	White (71.3%)	Multi-Race (11.3%)
Suicide, Hurting Oneself							
Hurt themselves without wanting to kill themselves at least once in the past 12 months ^{1,3,4}	25.3%	1.0%	0.4%	9.9%	0.2%	72.8%	15.8%
Seriously thought about killing yourself (suicide) ^{1,3}	26.3%	0.7%	0.4%	14.1%	0.0%	67.9%	17.0%
Made a plan to attempt to kill yourself (suicide) ^{1,3}	18.8%	0.8%	0.3%	12.0%	0.0%	70.4%	16.5%
Attempted to kill yourself (suicide) ^{1,2,3,4}	11.0%	0.0%	0.5%	15.1%	0.0%	67.6%	16.9%
Tobacco							
Tried smoking a cigarette ^{2,4}	10.7%	0.9%	0.9%	10.2%	0.5%	75.3%	12.1%
Smoked a cigarette before age 10 years old	3.4%*	0.0%	2.8%	9.7%	0.0%	72.2%	15.3%
Smoked cigarettes at least 1 day in the past 30 days ^{2,4}	3.0%*	0.0%	0.0%	10.9%	0.0%	76.4%	12.7%
Smoked cigarettes at least 20 days in the past 30 days	0.4%*	0.0%	0.0%	0.0%	0.0%	87.5%	12.5%
Smoked at least 1 cigarette per day in the past 30 days ^{1,2,4}	3.7%*	0.0%	0.0%	7.4%	0.0%	79.4%	13.2%
Used an electronic vapor product ^{2,3,4}	16.8%	0.6%	0.6%	11.6%	0.3%	74.4%	12.5%
Smoked an electronic vapor product at least once in the past 30 days ^{2,3,4}	10.6%	1.0%	0.5%	13.9%	0.5%	71.6%	12.5%
Used chewing tobacco, snuff, snus, etc. 1 day or more in the past 30 days ^{3,4}	2.0%*	0.0%	0.0%	14.7%	0.0%	70.6%	14.7%
Smoked cigars, cigarillos, or little cigars on 1 day or more in the past 30 days ^{2,4}	2.6%*	0.0%	0.0%	8.5%	0.0%	80.9%	10.6%
Alcohol							
Had least one drink of alcohol ^{1,2,3,4}	20.7%	1.4%	0.5%	9.5%	0.0%	73.3%	15.2%
Had their first drink of alcohol before age 10 years old ²	4.9%*	2.0%	2.0%	10.9%	0.0%	68.3%	16.8%
Marijuana							
Have used marijuana at least once in their life ^{2,3,4}	8.4%	0.0%	0.6%	14.6%	0.6%	69.5%	14.6%

*Overall % is less than 5%, so the race breakdown might be skewed higher for some races due to the small sample size.

Questions	Overall %	% of Overall Who Are: Race (Overall %)					
		American Indian or Alaskan Native (0.9%)	Asian (0.5%)	Black or African American (12.0%)	Native Hawaiian or Other Pacific Islander (0.5%)	White (71.3%)	Multi-Race (11.3%)
Tried marijuana for the first time before age 10 years old ⁴	0.9%*	0.0%	0.0%	20.0%	0.0%	65.0%	15.0%
Drugs							
Have taken non-prescribed pain medication or misused it at least once in their life ^{1,2,3,4}	10.0%	1.5%	0.0%	19.6%	0.5%	61.8%	16.7%
Have used any form of cocaine at least once in their life	0.6%*	0.0%	0.0%	16.7%	0.0%	75.0%	8.3%
Have sniffed glue, aerosols, paints to get high at least once in their life ³	3.5%*	0.0%	0.0%	13.3%	0.0%	68.0%	18.7%
Lived with someone who was having a problem with alcohol or drug use ^{1,2,3}	25.4%	0.6%	0.6%	8.6%	0.2%	75.0%	15.0%
Sexual Behavior							
Have had sexual intercourse ^{2,4}	5.7%	0.9%	0.9%	17.4%	0.0%	64.3%	16.5%
First had sexual intercourse before age 10 years old	1.1%	0.0%	0.0%	13.0%	0.0%	73.9%	13.0%
Had sex with 4 or more people in their life ²	0.5%*	0.0%	0.0%	10.0%	0.0%	70.0%	20.0%
Used a condom when they last had sex ²	2.6%*	0.0%	2.0%	21.6%	0.0%	58.8%	17.6%
Body Weight							
Self-describe as slightly or very overweight ³	34.4%	0.8%	0.4%	10.8%	0.4%	75.5%	12.1%
Not trying to do anything with their weight ^{1,4}	22.6%	0.4%	1.1%	9.4%	0.2%	80.0%	8.9%
Tried to lose or keep from gaining weight in the past 30 days by not eating, taking diet pills, vomiting, taking laxatives or skipping meals ^{1,2,3}	22.6%	0.2%	0.2%	12.6%	0.4%	71.2%	15.4%
Dietary Behavior							
Did not eat breakfast on at least 1 day in the past 7 days ³	72.1%	0.9%	0.5%	12.0%	0.4%	73.5%	12.6%
Physical Activity							
Were active for 60 minutes per day less than 5 days in the past 7 days ³	45.2%	1.0%	0.7%	13.0%	0.5%	72.7%	12.0%

*Overall % is less than 5%, so the race breakdown might be skewed higher for some races due to the small sample size.

Questions	Overall %	% of Overall Who Are: Race (Overall %)					
		American Indian or Alaskan Native (0.9%)	Asian (0.5%)	Black or African American (12.0%)	Native Hawaiian or Other Pacific Islander (0.5%)	White (71.3%)	Multi-Race (11.3%)
Spent at least 3 hours a day in front of a TV, computer, other electronic device watching shows or videos playing games or on the internet on an average school day ^{1,3}	67.4%	0.8%	0.5%	12.7%	0.4%	72.6%	13.1%
Did not go to PE classes at school in an average week ^{1,4}	57.0%	0.9%	0.6%	9.9%	0.7%	75.8%	12.2%
Do not play on any sports teams in the past 12 months ^{1,4}	45.1%	1.1%	1.0%	13.1%	0.9%	73.0%	11.0%
Got a concussion from playing a sport or being active at least once in the past 12 months ^{1,2}	16.3%	0.9%	0.9%	21.1%	0.6%	64.8%	11.7%
Other Health Topics/Miscellaneous							
Mental health was often not good at least most of the time during the past 30 days ^{1,3}	21.4%	0.9%	0.7%	8.2%	0.0%	76.2%	14.0%
Often felt at least most of the time that they were able to talk to an adult about their feelings ^{2,3}	17.0%	0.3%	0.6%	8.8%	0.3%	79.8%	10.3%
Get 4 hours or less of sleep on a school night ^{2,3}	12.2%	1.6%	0.8%	14.1%	0.0%	71.0%	12.5%
Slept somewhere else besides their parent/guardians, family member or friends house in the past 30 days ^{1,2}	4.6%*	0.0%	0.0%	27.2%	0.0%	65.2%	7.6%
Did not have a usual place to sleep during the past 30 days ³	0.7%*	0.0%	0.0%	7.1%	0.0%	85.7%	7.1%
Have ever had sex education in school ^{2,3}	14.4%	0.7%	1.0%	10.0%	0.7%	77.3%	10.4%
At least sometimes went hungry because there wasn't enough food at home in the last 30 days ¹	8.3%	0.0%	1.7%	19.5%	0.6%	66.7%	11.5%
Rarely or never felt safe and secure in their neighborhood	7.3%	1.9%	1.3%	15.9%	0.6%	66.2%	14.0%

¹ Indicates a significant difference (p<0.05) between races (Multi-race, American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Pacific Islander, and White) and the specified demographic/question.

² Indicates a significant difference (p<0.05) between ages (≤12 years, 13 years, 14 years, 15 years, 16 years, 17 years, and ≥18 years old) and the specified demographic/question.

³ Indicates a significant difference (p<0.05) between sexes (female and male) and the specified demographic/question.

⁴ Indicates a significant difference (p<0.05) between ethnicity (Hispanic and Non-Hispanic) and the specified demographic/question.

*Overall % is less than 5%, so the race breakdown might be skewed higher for some races due to the small sample size.

For questions, contact bheinle@ccchd.com

Record of Change

Version	Changes Made	Date	Name
1	YRBS Data analyzed and report created	12/8/2021	Brenna Heinle
1.1	Edits Made	12/22/2021	Brenna Heinle
1.2	Edits Made	1/21/2022	Brenna Heinle